Brain Research, 584 (1992) 334–335
Elsevier

Author Index

Anderson, G.M., see During, M.J. (584) 36
Aroniadou, V.A. and Teyler, T.J.
Induction of NMDA receptor-independent long-term potentiation (LTP) in visual cortex of adult rats (584) 169
Artymyshyn, R.P., see Luedtke, R.R. (584) 45

Barr, G.A., Miya, D.Y. and Paredes, W.
Analgesic effects of intraventricular and intrathecal injection of morphine and ketocyclazocine in the infant rat (584) 83
Barr, G.A., see Tive, L.A. (584) 92
Barton, C., see Hawkins, M.F. (584) 261
Baumeister, A.A., see Hawkins, M.F. (584) 261
Belli, S., see Invernizzi, R. (584) 322
Benarroch, E.E., Zollman, P.J., Schmelzer, J.D., Nelson, D.K. and Low, P.A.
Guanethidine sympathectomy increases substance P concentration in the superior sympathetic ganglion of adult rats (584) 305
Bennett, G.J., see Laird, J.M.A. (584) 181
Bhargava, H.N., see Rattan, A.K. (584) 207
Björklund, A., see Nilsson, O.G. (584) 132
Blond, S., see Parker, F. (584) 11
Bowman, C.L., Ding, J.-P., Sachs, F. and Sokabe, M.
Mechanotransducing ion channels in astrocytes (584) 272
Bronstein, J.M., Micevych, P., Popper, P., Huez, G., Farber, D.B. and Wasterlain, C.G.
Long-lasting decreases of type II calmodulin kinase expression in kindled rat brains (584) 257
Brown, L.D. and Narahashi, T.
Modulation of nerve membrane sodium channel activation by deltamethrin (584) 71

Calvet, J., see Calvet, M.-C. (584) 1
Calvet, M.-C., Calvet, J., Teilhac, J.-R. and Drian, M.-J.
Networks formed by dorsal root ganglion neurites within spinal cord explants: a computer-aided analysis of HRP intracellularly labeled neurons (584) 1
Campbell, G.A., see Eckardt, M.J. (584) 244
Chen, J., Zeng, S.-l., Rao, Z.-r. and Shi, J.-w.
Serotonergic projections from the midbrain periaqueductal gray and nucleus raphe dorsalis to the nucleus parafascicularis of the thalamus (584) 294
Coghill, R.C., see Mao, J. (584) 18
Cohen, S.A. and Müller, W.E.
Age-related alterations of NMDA-receptor properties in the mouse forebrain: partial restoration by chronic phosphatidylserine treatment (584) 174
Craig, A.D.
Spinal and trigeminal lamina I input to the locus coeruleus anterogradely labeled with *Phaseolus vulgaris* leucoagglutinin (PHA-L) in the cat and the monkey (584) 325
Craig, J.S., see During, M.J. (584) 36
Cridland, R.A. and Henry, J.L.
Bombesin, neuromedin C and neuromedin B given intrathecally facilitate the tail flick reflex in the rat (584) 163
Cubic, B., see Hawkins, M.F. (584) 261

Dagan, D., see Egan, T.M. (584) 319
Davis, M., see Melia, K.R. (584) 141
De Caro, G., see Massi, M. (584) 77
Dekker, A.J. and Thal, L.J.
Effect of delayed treatment with nerve growth factor on choline acetyltransferase activity in the cortex of rats with lesions of the nucleus basalis magnocellularis: dose requirements (584) 55
Deroche, V., Piazza, P.V., Maccari, S., Le Moal, M. and Simon, H.
Repeated corticosterone administration sensitizes the locomotor response to amphetamine (584) 309
Ding, J.-P., see Bowman, C.L. (584) 272
Dow-Edwards, D.L., see Zimmerman, G.A. (584) 117
Drian, M.-J., see Calvet, M.-C. (584) 1
During, M.J., Craig, J.S., Hernandez, T.D., Anderson, G.M. and Gallager, D.W.
Effect of amygdala kindling on the in vivo release of GABA and 5-HT in the dorsal raphe nucleus in freely moving rats (584) 36

Eastman, C.L., Guilarte, T.R. and Lever, J.R.
Uptake of 3-hydroxykynurenine measured in rat brain slices and in a neuronal cell line (584) 110
Eckardt, M.J., Campbell, G.A., Marietta, C.A., Majchrowicz, E., Rawlings, R.R. and Weight, F.F.
Ethanol dependence and withdrawal selectively alter localized cerebral glucose utilization (584) 244
Egan, T.M., Dagan, D., Kupper, J. and Levitan, I.B.
Na^+-activated K^+ channels are widely distributed in rat CNS and in *Xenopus* oocytes (584) 319
Epstein, A.N., see Massi, M. (584) 77

Falls, W.A., see Melia, K.R. (584) 141
Farber, D.B., see Bronstein, J.M. (584) 257
Fox, S.E., see Zimmerman, G.A. (584) 117
Freed, L.A., see Zimmerman, G.A. (584) 117
Fuxe, K., see Von Euler, G. (584) 157

Gallager, D.W., see During, M.J. (584) 36
Gentili, L., see Massi, M. (584) 77
Gouras, G.K., Rance, N.E., Young III, W.S. and Koliatsos, V.E.
Tyrosine-hydroxylase-containing neurons in the primate basal forebrain magnocellular complex (584) 287
Guilarte, T.R., see Eastman, C.L. (584) 110

Hamada, T., see Shibata, S. (584) 251
Hamilton, B.R. and Smith, D.O.
Calcium currents in rat motor nerve terminals (584) 123
Havlik, S. and Peroutka, S.J.
Differential radioligand binding properties of [^{3}H]5-hydroxytryptamine and [^{3}H]mesulergine in a clonal 5-hydroxytryptamine$_{1C}$ cell line (584) 191
Hawkins, M.F., Cubic, B., Baumeister, A.A. and Barton, C.
Microinjection of opioid antagonists into the substantia nigra reduces stress-induced eating in rats (584) 261
Hayes, R.L., see Mao, J. (584) 18
Hayes, R.L., see Mao, J. (584) 28
Henry, J.L., see Cridland, R.A. (584) 163
Hernandez, T.D., see During, M.J. (584) 36
Horne-King, J., see Unterwald, E.M. (584) 314
Huez, G., see Bronstein, J.M. (584) 257
Humlová, M. and Illnerová, H.
Entrainment of the rat circadian clock controlling the pineal *N*-acetyltransferase rhythm depends on photoperiod (584) 226

Ihara, N., see Yamada, H. (584) 237
Ikeda, K., see Mizuguchi, M. (584) 219
Illnerová, H., see Humlová, M. (584) 226
Invernizzi, R., Belli, S. and Samanin, R.
Citalopram's ability to increase the extracellular concentrations of serotonin in the dorsal raphe prevents the drug's effect in the frontal cortex (584) 322

Jiang, C. and Lipski, J.
Synaptic inputs to medullary respiratory neurons from superior laryngeal afferents in the cat (584) 197
Johnston, H.M., see Todd, A.J. (584) 149

Kano, T., see Katayama, Y. (584) 329
Katayama, Y., Kawamata, T., Kano, T. and Tsubokawa, T.
Excitatory amino acid antagonist administered via microdialysis attenuates lactate accumulation during cerebral ischemia and subsequent hippocampal damage (584) 329
Kawamata, T., see Katayama, Y. (584) 329
Kempf, E., see Rudolf, G. (584) 64
Kim, S.U., see Mizuguchi, M. (584) 219

Brain Research, 584 (1992) 334–335
Elsevier

Author Index

Anderson, G.M., see During, M.J. (584) 36
Aroniadou, V.A. and Teyler, T.J.
Induction of NMDA receptor-independent long-term potentiation (LTP) in visual cortex of adult rats (584) 169
Artymyshyn, R.P., see Luedtke, R.R. (584) 45

Barr, G.A., Miya, D.Y. and Paredes, W.
Analgesic effects of intraventricular and intrathecal injection of morphine and ketocyclazocine in the infant rat (584) 83
Barr, G.A., see Tive, L.A. (584) 92
Barton, C., see Hawkins, M.F. (584) 261
Baumeister, A.A., see Hawkins, M.F. (584) 261
Belli, S., see Invernizzi, R. (584) 322
Benarroch, E.E., Zollman, P.J., Schmelzer, J.D., Nelson, D.K. and Low, P.A.
Guanethidine sympathectomy increases substance P concentration in the superior sympathetic ganglion of adult rats (584) 305
Bennett, G.J., see Laird, J.M.A. (584) 181
Bhargava, H.N., see Rattan, A.K. (584) 207
Björklund, A., see Nilsson, O.G. (584) 132
Blond, S., see Parker, F. (584) 11
Bowman, C.L., Ding, J.-P., Sachs, F. and Sokabe, M.
Mechanotransducing ion channels in astrocytes (584) 272
Bronstein, J.M., Micevych, P., Popper, P., Huez, G., Farber, D.B. and Wasterlain, C.G.
Long-lasting decreases of type II calmodulin kinase expression in kindled rat brains (584) 257
Brown, L.D. and Narahashi, T.
Modulation of nerve membrane sodium channel activation by deltamethrin (584) 71

Calvet, J., see Calvet, M.-C. (584) 1
Calvet, M.-C., Calvet, J., Teilhac, J.-R. and Drian, M.-J.
Networks formed by dorsal root ganglion neurites within spinal cord explants: a computer-aided analysis of HRP intracellularly labeled neurons (584) 1
Campbell, G.A., see Eckardt, M.J. (584) 244
Chen, J., Zeng, S.-l., Rao, Z.-r. and Shi, J.-w.
Serotonergic projections from the midbrain periaqueductal gray and nucleus raphe dorsalis to the nucleus parafascicularis of the thalamus (584) 294
Coghill, R.C., see Mao, J. (584) 18
Cohen, S.A. and Müller, W.E.
Age-related alterations of NMDA-receptor properties in the mouse forebrain: partial restoration by chronic phosphatidylserine treatment (584) 174
Craig, A.D.
Spinal and trigeminal lamina I input to the locus coeruleus anterogradely labeled with *Phaseolus vulgaris* leucoagglutinin (PHA-L) in the cat and the monkey (584) 325
Craig, J.S., see During, M.J. (584) 36
Cridland, R.A. and Henry, J.L.
Bombesin, neuromedin C and neuromedin B given intrathecally facilitate the tail flick reflex in the rat (584) 163
Cubic, B., see Hawkins, M.F. (584) 261

Dagan, D., see Egan, T.M. (584) 319
Davis, M., see Melia, K.R. (584) 141
De Caro, G., see Massi, M. (584) 77
Dekker, A.J. and Thal, L.J.
Effect of delayed treatment with nerve growth factor on choline acetyltransferase activity in the cortex of rats with lesions of the nucleus basalis magnocellularis: dose requirements (584) 55
Deroche, V., Piazza, P.V., Maccari, S., Le Moal, M. and Simon, H.
Repeated corticosterone administration sensitizes the locomotor response to amphetamine (584) 309
Ding, J.-P., see Bowman, C.L. (584) 272
Dow-Edwards, D.L., see Zimmerman, G.A. (584) 117
Drian, M.-J., see Calvet, M.-C. (584) 1
During, M.J., Craig, J.S., Hernandez, T.D., Anderson, G.M. and Gallager, D.W.
Effect of amygdala kindling on the in vivo release of GABA and 5-HT in the dorsal raphe nucleus in freely moving rats (584) 36

Eastman, C.L., Guilarte, T.R. and Lever, J.R.
Uptake of 3-hydroxykynurenine measured in rat brain slices and in a neuronal cell line (584) 110
Eckardt, M.J., Campbell, G.A., Marietta, C.A., Majchrowicz, E., Rawlings, R.R. and Weight, F.F.
Ethanol dependence and withdrawal selectively alter localized cerebral glucose utilization (584) 244
Egan, T.M., Dagan, D., Kupper, J. and Levitan, I.B.
Na^+-activated K^+ channels are widely distributed in rat CNS and in *Xenopus* oocytes (584) 319
Epstein, A.N., see Massi, M. (584) 77

Falls, W.A., see Melia, K.R. (584) 141
Farber, D.B., see Bronstein, J.M. (584) 257
Fox, S.E., see Zimmerman, G.A. (584) 117
Freed, L.A., see Zimmerman, G.A. (584) 117
Fuxe, K., see Von Euler, G. (584) 157

Gallager, D.W., see During, M.J. (584) 36
Gentili, L., see Massi, M. (584) 77
Gouras, G.K., Rance, N.E., Young III, W.S. and Koliatsos, V.E.
Tyrosine-hydroxylase-containing neurons in the primate basal forebrain magnocellular complex (584) 287
Guilarte, T.R., see Eastman, C.L. (584) 110

Hamada, T., see Shibata, S. (584) 251
Hamilton, B.R. and Smith, D.O.
Calcium currents in rat motor nerve terminals (584) 123
Havlik, S. and Peroutka, S.J.
Differential radioligand binding properties of [^{3}H]5-hydroxytryptamine and [^{3}H]mesulergine in a clonal 5-hydroxytryptamine$_{1C}$ cell line (584) 191
Hawkins, M.F., Cubic, B., Baumeister, A.A. and Barton, C.
Microinjection of opioid antagonists into the substantia nigra reduces stress-induced eating in rats (584) 261
Hayes, R.L., see Mao, J. (584) 18
Hayes, R.L., see Mao, J. (584) 28
Henry, J.L., see Cridland, R.A. (584) 163
Hernandez, T.D., see During, M.J. (584) 36
Horne-King, J., see Unterwald, E.M. (584) 314
Huez, G., see Bronstein, J.M. (584) 257
Humlová, M. and Illnerová, H.
Entrainment of the rat circadian clock controlling the pineal *N*-acetyltransferase rhythm depends on photoperiod (584) 226

Ihara, N., see Yamada, H. (584) 237
Ikeda, K., see Mizuguchi, M. (584) 219
Illnerová, H., see Humlová, M. (584) 226
Invernizzi, R., Belli, S. and Samanin, R.
Citalopram's ability to increase the extracellular concentrations of serotonin in the dorsal raphe prevents the drug's effect in the frontal cortex (584) 322

Jiang, C. and Lipski, J.
Synaptic inputs to medullary respiratory neurons from superior laryngeal afferents in the cat (584) 197
Johnston, H.M., see Todd, A.J. (584) 149

Kano, T., see Katayama, Y. (584) 329
Katayama, Y., Kawamata, T., Kano, T. and Tsubokawa, T.
Excitatory amino acid antagonist administered via microdialysis attenuates lactate accumulation during cerebral ischemia and subsequent hippocampal damage (584) 329
Kawamata, T., see Katayama, Y. (584) 329
Kempf, E., see Rudolf, G. (584) 64
Kim, S.U., see Mizuguchi, M. (584) 219

Koliatsos, V.E., see Gouras, G.K. (584) 287
Koo, K.L., see Rattan, A.K. (584) 207
Kreek, M.J., see Unterwald, E.M. (584) 314
Kuhar, M.J., see Lew, R. (584) 266
Kupper, J., see Egan, T.M. (584) 319

Laird, J.M.A. and Bennett, G.J.
Dorsal root potentials and afferent input to the spinal cord in rats with an experimental peripheral neuropathy (584) 181
Leanza, G., see Nilsson, O.G. (584) 132
Le Moal, M., see Deroche, V. (584) 309
Lever, J.R., see Eastman, C.L. (584) 110
Levitan, I.B., see Egan, T.M. (584) 319
Lew, R., Patel, A., Vaughan, R.A., Wilson, A. and Kuhar, M.J.
Microheterogeneity of dopamine transporters in rat striatum and nucleus accumbens (584) 266
Lipski, J., see Jiang, C. (584) 197
Low, P.A., see Benarroch, E.E. (584) 305
Lu, J., see Mao, J. (584) 18
Lu, J., see Mao, J. (584) 28
Luedtke, R.R., Artymyshyn, R.P., Monks, B.R. and Molinoff, P.B.
Comparison of the expression, transcription and genomic organization of D_2 dopamine receptors in outbred and inbred strains of rat (584) 45

Maccari, S., see Deroche, V. (584) 309
Mailleux, P., see Von Euler, G. (584) 157
Majchrowicz, E., see Eckardt, M.J. (584) 244
Mao, J., Hayes, R.L., Price, D.D., Coghill, R.C., Lu, J. and Mayer, D.J.
Post-injury treatment with GM1 ganglioside reduces nociceptive behaviors and spinal cord metabolic activity in rats with experimental peripheral mononeuropathy (584) 18
Mao, J., Price, D.D., Hayes, R.L., Lu, J. and Mayer, D.J.
Intrathecal GM1 ganglioside and local nerve anesthesia reduce nociceptive behaviors in rats with experimental peripheral mononeuropathy (584) 28
Marietta, C.A., see Eckardt, M.J. (584) 244
Massi, M., Gentili, L., Pompei, P., De Caro, G. and Epstein, A.N.
Central tachykinin injection potently suppresses the need-free salt intake of the female rat (584) 77
Mayer, D.J., see Mao, J. (584) 18
Mayer, D.J., see Mao, J. (584) 28
Mazoyer, B., see Parker, F. (584) 11
Melia, K.R., Falls, W.A. and Davis, M.
Involvement of pertussis toxin sensitive G-proteins in conditioned fear-potentiated startle: possible involvement of the amygdala (584) 141
Micevych, P., see Bronstein, J.M. (584) 257
Miya, D.Y., see Barr, G.A. (584) 83
Mizuguchi, M., Ikeda, K. and Kim, S.U.
Differential distribution of cellular forms of β-amyloid precursor protein in murine glial cell cultures (584) 219
Mobbs, P., see Sarantis, M. (584) 299
Molinoff, P.B., see Luedtke, R.R. (584) 45
Monks, B.R., see Luedtke, R.R. (584) 45
Müller, W.E., see Cohen, S.A. (584) 174

Narahashi, T., see Brown, L.D. (584) 71
Nelson, D.K., see Benarroch, E.E. (584) 305
Nilsson, O.G., Leanza, G. and Björklund, A.
Acetylcholine release in the hippocampus: regulation by monoaminergic afferents as assessed by in vivo microdialysis (584) 132

Paredes, W., see Barr, G.A. (584) 83
Parker, F., Tzourio, N., Blond, S., Petit, H. and Mazoyer, B.
Evidence for a common network of brain structures involved in Parkinsonian tremor and voluntary repetitive movement (584) 11
Patel, A., see Lew, R. (584) 266
Peroutka, S.J., see Havlik, S. (584) 191
Petit, H., see Parker, F. (584) 11
Pévet, P., see Rudolf, G. (584) 64
Piazza, P.V., see Deroche, V. (584) 309
Pompei, P., see Massi, M. (584) 77
Popper, P., see Bronstein, J.M. (584) 257
Price, D.D., see Mao, J. (584) 18
Price, D.D., see Mao, J. (584) 28

Rance, N.E., see Gouras, G.K. (584) 287
Rao, Z.-r., see Chen, J. (584) 294
Rattan, A.K., Koo, K.L., Tejwani, G.A. and Bhargava, H.N.
The effect of morphine tolerance dependence and abstinence on immunoreactive dynorphin (1-13) levels in discrete brain regions, spinal cord, pituitary gland and peripheral tissues of the rat (584) 207
Rawlings, R.R., see Eckardt, M.J. (584) 244
Rudolf, G., Vivien-Roels, B., Pévet, P., Kempf, E. and Wioland, N.
Dopamine and melatonin interactions in the intact chicken eye.. Electrooculographic and biochemical study (584) 64
Russell, G., see Todd, A.J. (584) 149

Sachs, F., see Bowman, C.L. (584) 272
Samanin, R., see Invernizzi, R. (584) 322
Sano, Y., see Yamada, H. (584) 237
Sarantis, M. and Mobbs, P.
The spatial relationship between Müller cell processes and the photoreceptor output synapse (584) 299
Schiffmann, S.N., see Von Euler, G. (584) 157
Schmelzer, J.D., see Benarroch, E.E. (584) 305
Shi, J.-w., see Chen, J. (584) 294
Shibata, S., Hamada, T., Tominaga, K. and Watanabe, S.
An in vitro circadian rhythm of protein synthesis in the rat suprachiasmatic nucleus under tissue culture conditions (584) 251
Simon, H., see Deroche, V. (584) 309
Smith, D.O., see Hamilton, B.R. (584) 123
Sokabe, M., see Bowman, C.L. (584) 272
Spike, R.C., see Todd, A.J. (584) 149
Supko, D.E. and Wallace, L.J.
AMPA glutamate receptor activation in the posterior zona incerta inhibits amphetamine- and apomorphine-induced stereotypy (584) 213

Takahashi, H., see Yamada, H. (584) 237
Teilhac, J.-R., see Calvet, M.-C. (584) 1
Tejwani, G.A., see Rattan, A.K. (584) 207
Teyler, T.J., see Aroniadou, V.A. (584) 169
Thal, L.J., see Dekker, A.J. (584) 55
Tive, L.A. and Barr, G.A.
Analgesia from the periaqueductal gray in the developing rat: focal injections of morphine or glutamate and effects of intrathecal injection of methysergide or phentolamine (584) 92
Todd, A.J., Spike, R.C., Russell, G. and Johnston, H.M.
Immunohistochemical evidence that Met-enkephalin and GABA coexist in some neurones in rat dorsal horn (584) 149
Tominaga, K., see Shibata, S. (584) 251
Tsubokawa, T., see Katayama, Y. (584) 329
Tzourio, N., see Parker, F. (584) 11

Unterwald, E.M., Horne-King, J. and Kreek, M.J.
Chronic cocaine alters brain mu opioid receptors (584) 314

Vanderhaeghen, J.-J., see Von Euler, G. (584) 157
Vaughan, R.A., see Lew, R. (584) 266
Vivien-Roels, B., see Rudolf, G. (584) 64
Von Euler, G., Mailleux, P., Von Euler, M., Schiffmann, S.N., Vanderhaeghen, J.-J. and Fuxe, K.
Coactivation of dopamine D_1 and D_2 receptors increases the affinity of cholecystokinin-8 receptors in membranes from post-mortem human caudate-putamen (584) 157
Von Euler, M., see Von Euler, G. (584) 157

Wallace, L.J., see Supko, D.E. (584) 213
Wasterlain, C.G., see Bronstein, J.M. (584) 257
Watanabe, S., see Shibata, S. (584) 251
Weight, F.F., see Eckardt, M.J. (584) 244
Wilson, A., see Lew, R. (584) 266
Wioland, N., see Rudolf, G. (584) 64

Yamada, H., Ihara, N., Takahashi, H., Yoshimura, M. and Sano, Y.
Distribution of the endogenous digitalis-like substance (EDLS)-containing neurons labeled by digoxin antibody in hypothalamus and three circumventricular organs of dog and macaque (584) 237
Yoshimura, M., see Yamada, H. (584) 237
Young III, W.S., see Gouras, G.K. (584) 287

Zeng, S.-l., see Chen, J. (584) 294
Zimmerman, G.A., Fox, S.E., Freed, L.A. and Dow-Edwards, D.L.
Hippocampal laminar glucose utilization and theta rhythm following unilateral fimbria-fornix lesions in rats (584) 117
Zollman, P.J., see Benarroch, E.E. (584) 305